

■ CO₂冷媒用厚肉継手 製品一覧



T



90°エルボ



ソケット




キャップ

(単位mm)




規格	呼び径	X
T F	9.52	16
	12.7	25
	15.88	25
	19.05	34
	22.22	38
	25.4	37




(単位mm)



規格	呼び径	G
T F	6.35	10
	9.52	10
	12.7	10
	15.88	15
	19.05	15




(単位mm)



規格	呼び径	X
T F	6.35	2
	8ミリ	2
	9.52	2
	12.7	3
	15.88	3
	19.05	3
	22.22	2
	25.4	3

異径ソケット

(単位mm)



規格	呼び径	X
T F	8ミリ x 6.35	4
	9.52 x 6.35	10
	12.7 x 6.35	8
	12.7 x 9.52	7
	15.88 x 9.52	12
	15.88 x 12.7	11
	19.05 x 9.52	15
	19.05 x 12.7	14
	19.05 x 15.88	14
	22.22 x 12.7	14
	22.22 x 15.88	13
	22.22 x 19.05	14
	25.4 x 19.05	9
	25.4 x 22.22	8

T

RoHS


RoHS

は、RoHS指令対応品です。

(単位mm)



規格	呼び径	X	Y
T F	6.35	8.5	9
	9.52	10	12
	12.7	15	15
	15.88	17	15
	19.05	20	18
	22.22	25	25
	25.4	23	23



異径 T



規格	呼び径	X	Y
T F	9.52 x 6.35	10	14
	12.7 x 6.35	15	20
	12.7 x 9.52	15	17
	15.88 x 6.35	17	24
	15.88 x 9.52	17	22
	15.88 x 12.7	17	20
	19.05 x 9.52	20	27
	19.05 x 12.7	20	26
	19.05 x 15.88	20	25
	22.22 x 9.52	25	30
	22.22 x 12.7	25	28
	22.22 x 15.88	25	27
	22.22 x 19.05	25	25
	25.4 x 22.22	23	25

